Polymer Bulletin

© Springer-Verlag 1987

Author Index Volume 17 (1987)

Aerts L, see Maes D, et al. 94 (Erratum)
Allen RC, Mandelkern L: On regimes I and II during polymer crystallization 473
Anton C, Mackley MR, Solbai SB: Extrusion processing of ultra-high molecular weight polyethylene; a new method for the production of high performance structures 175
Aoki T, see Kawakami Y, et al. 293
Aoshima S, see Higashimura T, et al. 389
Argüello R, see Castellano P, et al. 263
Asami R, see Takaki M, et al. 403
Asano K, see Takaki M, et al. 403
Atanassov AM: Linear isothermal crystal growth rate of i-polypropylene by differential scanning calorimetry 445
Azori M, see Csákvári É, et al. 557

Baltá Calleja FJ, see Sánchez Cuesta M, et al. 23
Bertorello HE, see Castellano P, et al. 263
Biswas M, see Moitra S 361
Bohdanecký M, see Horský J, et al. 551
Borbély S, see Pleštil J, et al. 465
Bu HS, Cheng SZD, Wunderlich B: A new etching method for the electron microscopy of semicrystalline poly(ethylene oxide) 567
Bui L, Nguyen HA, Maréchal E: A possible "direct initiation" of cationic polymerization of isobutylene by boron trichloride in methlyene chloride 157
Burgert J, see Lucca Freitas L de, et al. 431
Buyle Padias A, see Kitayama T, et al. 417

Castellano P, Argüello R, Bertorello HE: Thermal behavior of 1,3-butadiene-acrylic acid copolymers 263
Cavaillé JY, see Lin YG, et al. 97
Chan CK, see Wong KH, et al. 375
Chan RJH, see Hall HK, Jr., et al. 135
Chao HS-I: A ^{31}P NMR study of poly(phenylene oxide)(PPO)(1) resin's hydroxyl end groups 397
Chao HS-I, Hovatter TW: Preparation and characterization of a polyphenylene ether and Nylon-6 block copolymer 423
Chen D, Kennedy JP: Quantitative characterization of rubbery ethylene-propylene copolymers used in some commercial high impact Nylons 71
Cheng SZD, see Bu HS, et al. 567
Chien JCW, see Dickinson LC, et al. 459
Chiriac A, see Simionescu BC, et al. 439
Cho I, Lee B-J: Enantioselective solvolyses of amino acid p-nitrophenyl esters by optically active imidazole-containing copolymeric surfactants 383
Cho KC, see Wong KH, et al. 375
Choy CL, see Wong KH, et al. 375
Colmenero J, see Val JJ del 489
Connolly JM, see Dickinson LC, et al. 459
Cowie JMG, Martin ACS: Ionic conductivities and glass transition temperatures in poly(vinyl methyl ether)-salt mixtures 113
Csákvári É, Korecz L, Ázori M, Tüdős F: Physico-chemical studies of polymeric carriers. 6. Ultracentrifugal molecular weight determination of a poly-acid 557
Czuppon A, Korecz L, Kalló A: Crystallinity of POM films cast from solution. I. Microscopic and scanning electron microscopic studies 137

Dekkers MEJ, see Hobbs SY, et al. 335, 341 (Erratum 496)
Dickinson LC, MacKnight WJ, Connolly JM, Chien JCW: ^{23}Na-NMR of solid state ionomers: lineshape, shift, and hydration effects 459
Dijk JAPP van, see Eggink G, et al. 531
Dijkstra DJ, Pennings AJ: Cross-linking of ultra-high strength polyethylene fibres by means of electron beam irradiation 507
Dunker KW, Keinath SE: Apparent compatibility in n-alkane/poly(dimethyl phenylene oxide) blends 523
Dušek K: Theory of network formation by additional crosslinking of polyurethanes due to biuret and allphanate formation 481
Dušek K, Scholtens BJR, Tiemersma-Thoone GPJM: Theoretical treatment of network formation by a multistage process 239
Dušek K, see Williams RJJ, et al. 515

Edelman A, Fradet A, Maréchal E: Synthesis and NMR study of some aliphatic block and branched α,ω-dihydroxy polyesterethers 499
Eggink G, Dijk JAPP van, Smit JAM: An analytical correction for peak broadening in gel permeation chromatography with a molecular weight detector 531
Ericsson C, see Percec V, et al. 347, 353

Farona MF, see Gadkari A 299
Fedtke M, see Tänzer W, et al. 31
Fillon B, see He XW, et al. 45
Fradet A, see Edelman A, et al. 499
Fréchet JMJ, see Jiang Y, et al. 1
Fujiwara Y: Enhancement of a ß→α-recrystallization in ß-form isotactic polypropylene during heating after roll deformation 539

Gadkari A, Farona MF: Synthesis and properties of some EPDM graft terpolymers 299
Galiatsatos V, Mark JE: Effects of dimethylsiloxane diluents on the optical properties of poly(dimethylsilmethylene) networks 197
Gantchev B, Mihailov M: Single phase polystyrene-polyacrylonitrile-dimethylformamide system studied by light scattering 181
Gargallo L, Radic D, Tagle LH: Polymer conformation and viscometric behaviour. 6. Synthesis, characterization and chain flexibility of (phenyl methacrylate-co-menthyl methacrylate) copolymers 15

Georgiev G, Kamenska E, Karayannidis G, Sideridou-Karayannidou I, Varvoglis A: Photopolymerization of 2-(dimethylaminoethyl)metacrylate induced by diacetoxyiodobenzene and bis (trifluoroacetoxy)iodobenzene 169
Gérard JF, see Lin YG, et al. 97
Goh SH: Miscible blends of poly(tetrahydrofurfuryl methacrylate) with two hydroxyl-containing polymers 221
Goh SH, Siow KS: Miscibility of poly(p-vinyl phenol) with polymethacrylates 453
Groeninckx G, see Maes D, et al. 94 (Erratum)
Groshans VS, see Hobbs SY, et al. 335 (Erratum 496)
Guenet JM, see He XW, et al. 45

Hall HK, Jr., Chan RJH, Oku J, Hughes OR, Scheinbeim J, Newman B: Piezoelectric activity in films of poly (1-bicyclobutanecarbonitrile) 135
Hall HK, Jr., see Kitayama T, et al. 417
Hall HK, Jr., Polis DW: "Starburst" polyarylamines and their semiconducting complexes as potentially electroactive materials 409
Hanahata H, see Takaki M, et al. 403
Hanley B: The effect of polydispersity on the analysis of optical tracer diffusion experiments. II. Intramolecular interference 279
Haruvy Y: Grafting of acrylamide to Nylon-6 by the electron beam preirradiation technique. VI. The state of water in swollen grafted membranes 149
He XW, Fillon B, Herz J, Guenet JM: Characterization of a crystalline organosilicic polymer: Poly[1-(dimethyl)silyl, 4-(dimethylethylene)silyl benzene] 45
Heinrich G, Straube E: A theory of topological constraints in polymer networks 247
Heinrich G, Straube E: Theoretical investigation of SANS from elastomeric networks with topological constraints 255
Hermes RE, Mathias LJ: Novel synthesis of a hindered trisubstituted dehydroalanine derivative and its copolymerization with methyl acrylate 189
Herz J, see He XW, et al. 45
Higashimura T, see Minoda M, et al. 107
Higashimura T, Nakamura T, Aoshima S: Transport of alkali metal ions by comb-like poly (vinyl ethers) with pendant poly(oxyethylene) chains 389
Hobbs SY, Dekkers MEJ, Watkins VH: The morphology and deformation behavior of poly(butylene terephthalate)/BPA polycarbonate blends 341
Hobbs SY, Goshans VL, Dekkers MEJ, Shultz AR: Partial miscibility of poly(butylene terephthalate)/BPA polycarbonate melt blends 335 (Erratum 496)
Horský J, Petrus V, Bohdanecký M: Effect of temperature on the solution properties in 2-ethoxyethanol of statistical copolymers of methacrylic acid and methyl methacrylate 551
Hosoki A, see Suzuki Y, et al. 285
Hovatter TW, see Chao HS-I 423
Hruška Z, Petránek J: Macrocyclic diamide based poly(vinyl chloride) membranes with a high lithium selectivity 103
Hsu CS, Percec V: Liquid crystalline polymers containing heterocycloalkane mesogens. 4. Biphasic side-chain liquid crystalline polysiloxanes containing trans 5-(n-undecanyl)-2-(4-methoxyphenyl)-1,3-dioxane and trans 2-(n-decanyl)-5-(4-methoxyphenyl)-1,3-dioxane mesogens 49
Hughes OR, see Hall HK, Jr., et al. 135
Hummel K, Schaller R, Martl MG: Magnetic field effect on the photocrosslinking of a butadiene-styrene copolymer modified by benzoyl or phenylacetyl groups 369

Ichimura K, see Suzuki Y, et al. 285
Ilavský M, see Pleštil J, et al. 465
Ioan S, see Simionescu BC, et al. 439

Jiang Y, Fréchet JMJ, Willson CG: Poly(vinyl-t-butyl carbonate) synthesis and thermolysis to poly(vinyl alcohol) 1

Kalló A, see Czuppon A, et al. 137
Kamenska E, see Georgiev G, et al. 169
Karayannidis G, see Georgiev G, et al. 169
Kawakami Y, Aoki T, Yamashita Y: Enhancement of oxygen permselectivity of polydimethylsiloxane-b-polycarbonate film by the surface modification with fluorine-containing polymer 293
Keinath SE, see Dunker KW 523
Kennedy JP, see Chen D 71
Kennedy JP, see Mishra MK 7
Kennedy JP, see Mishra MK, et al. 307
Kennedy JP, see Wang B, et al. 205, 213
Kennedy JP, see Wilczek L 37
Kitayama T, Buyle Padias A, Hall HK, Jr.: On the polymerization of 1-substituted 2-azabutadienes 417
Kmínek I: The polymerization of acetylene on catalysts having the composition titanium tetrabutoxide/organomagnesium or organolithium compounds 331
Kobayashi K, see Tsubokawa N, et al. 87
Korecz L, see Csákvári É, et al. 557
Korecz L, see Czuppon A, et al. 137

Landry S, see Rinaudo M 563
Lee B-J, see Cho I 383
Lekchiri A, Methenitis C, Morcellet J, Morcellet M: Effect of the complexation with copper (II) on the hydrodynamic behaviour of some polyelectrolytes 119
Lin YG, Gérard JP, Cavaillé JY, Sautereau H, Pascault JP: Existence of an introduced elastomer interphase in a glass beads-filled epoxy thermoset 97
Lindberg JJ, see Maunu SL 545
Lucca Freitas L de, Burgert J, Stadler R: Thermoplastic elastomers by hydrogen bonding. 5. Thermorheologically complex behaviour by hydrogen bond clustering 431

Mackley MR, see Anton C, et al. 175
MacKnight WJ, see Dickinson LC, et al. 459
Maes D, Groeninckx G, Ravenstijn J, Aerts L: A molecular model for structural changes during shear yielding and crazing in amorphous polymers 94 (Erratum)
Mandelkern L, see Allen RC 473
Maréchal E, see Bui L, et al. 157
Maréchal E, see Edelman A, et al. 499
Mark JE, see Galiatsatos V 197
Mark JE, see Wang S-B 271
Martin ACS, see Cowie JMG 113
Martinez Salazar J, see Sánchez Cuesta M, et al. 23
Martl MG, see Hummel K, et al. 369
Marx-Figini M: Evaluation of the accessibility of celluloses by the intrinsic viscosity ratio $[\eta]^{cell.nitr.}_{acetone} / [\eta]^{unsubst.cell.}_{CuEn}$ 225
Mathias LJ, see Hermes RE 189
Matsumoto A, see Otsu T, et al. 323
Maunu SL, Lindberg JJ: Structural and electrical studies on poly(ethylene oxide)-complexed with inorganic salts 545
Methenitis C, see Lekchiri A, et al. 119
Mihailov M, see Gantchev B 181
Minoda M, Sawamoto M, Higashimura T: Living cationic polymerization of a vinyl ether with a triester pendant 107
Mishra MK, Kennedy JP: Living carbocationic polymerization. VIII. Telechelic polyisobutylenes by the $MeO(CH_3)_2C\text{-}p\text{-}C_6H_4\text{-}C(CH_3)_2OMe/BCl_3$ initiating system 7
Mishra MK, Wang B, Kennedy JP: Living carbocationic polymerization. IX. Three-arm star telechelic polyisobutylenes by $C_6H_3(C(CH_3)_2OCH_3)_3$ /BCl_3 complexes 307
Mishra MK, see Wang B, et al. 205, 213
Moitra S, Biswas M: Cation exchange resins from chemically modified poly(vinyl chloride) 361
Morcellet J, see Lekchiri A, et al. 119
Morcellet M, see Lekchiri A, et al. 119
Müller H, see Tänzer W, et al. 31

Nakamura T, see Higashimura T, et al. 389
Nava H, see Percec V, et al. 353
Newman B, see Hall HK, Jr., et al. 135
Ng HC, see Wong KH, et al. 375
Nguyen HA, see Bui L, et al. 157
Nishide H, see Yamamoto K, et al. 163

Oku J, see Hall HK, Jr., et al. 135
Okui N, Sakai T: Effect of monomeric unit length on crystallinity and Young's modulus for highly oriented fibers 79
Oikawa E, Yahata K: Schiff's bases of polyallylamine. Synthesis and membrane properties for reverse osmosis 315
Ostanevich YuM, see Pleštil J, et al. 465
Otsu T, Matsumoto A, Tazaki T: Radical polymerization of methyl methacrylate with some 1,2-disubstituted tetraphenylethanes as thermal iniferters 323
Otsu T, see Tazaki T 127
Ozawa K, see Suzuki Y, et al. 285

Paakkari T, see Teeäär R, et al. 231
Pascault JP, see Lin YG, et al. 97
Pennings AJ, see Dijkstra DJ 507
Percec V, see Hsu CS 49
Percec V, Rodriguez-Parada JM, Ericsson C: Synthesis and characterization of liquid crystalline poly(p-vinylbenzyl ether)s 347
Percec V, Rodriguez-Parada JM, Ericsson C, Nava H: Liquid crystalline copolymers of monomer-pairs containing mesogenic units which exhibit constitutional isomerism 353
Perez S, Vergelati C: Solid state and solution features of amylose and amylosic fragments 141
Petránek J, see Hruška Z 103
Petrus V, see Horský J, et al. 551
Pleštil J, Ostanevich YuM, Borbély S, Stejskal J, Ilavský M: Phase transition in swollen gels. 11. Small-angle neutron scattering from poly(N,N-diethylacrylamide) networks and solutions in the collapse region 465
Polis DW, see Hall HK, Jr. 409

Radic D, see Gargallo L, et al. 15
Ravenstijn J, see Maes D, et al. 94 (Erratum)
Riccardi CC, see Williams RJJ, et al. 515
Rinaudo M, Landry S: On the volume change on non covalent gels in solvent-non solvent mixtures 563
Rodriguez-Parada JM, see Percec V, et al. 347, 353

Sakai T, see Okui N 79
Sánchez Cuesta M, Martinez Salazar J, Baltá Calleja FJ: X-Ray diffraction study of lattice distortions in branched polyethylene rapidly quenched from the melt 23
Sautereau H, see Lin YG, et al. 97
Sawamoto M, see Minoda M, et al. 107
Schaller R, see Hummel K, et al. 369
Scheinbeim J, see Hall HK, Jr., et al. 135
Scholtens BJR, see Dušek K, et al. 239
Serimaa R, see Teeäär R, et al. 231
Shultz AR, see Hobbs SY, et al. 335 (Erratum 496)
Sideridou-Karayannidou I, see Georgiev G, et al. 169
Simionescu BC, Ioan S, Chiriac A, Simionescu CI: Conformational transitions in poly(butyl methacrylate) 439
Simionescu CI, see Simionescu BC, et al. 439
Siow KS, see Goh SH 453
Smit JAM, see Eggink G, et al. 531
Solbai SB, see Anton C, et al. 175
Sone Y, see Tsubokawa N, et al. 87
Song MS: Study on the relationships between the structure of networks and mechanical properties of rubber vulcanizates. 1. The theory of elasticity for rubber vulcanizates with carbon black fillers at large deformation 55
Song MS, Zhang HZ: Study on the relationships between the structure of networks and mechanical properties of rubber vulcanizates. 2. The reinforcement of elastomers by carbon blacks and its characteristics 63
Stadler R, see Lucca Freitas L de, et al. 431
Stejskal J, see Pleštil J, et al. 465
Straube E, see Heinrich G, 247, 255
Suzuki Y, Ozawa K, Hosoki A, Ichimura K: Reversible change in the optical rotatory power of poly(L-glutamate) thin film induced by photochromism of a spiropyran 285

Tänzer W, Wintzer J, Müller H, Fedtke M: Oligomerization of phenyl glycidyl ether in the presence of $ZnCl_2$ 31
Tagle LH, see Gargallo L, et al. 15
Takaki M, Asami R, Asano K, Hanahata H: Preparation of α,ω-bis(p-vinylbenzyl)-terminated polystyrene and α-methylstyrene tetramer 403
Tazaki, T, Otsu T: Radical polymerization of methyl methacrylate with methyl 2,2-dimethyl-3,3-diphenyl-3-cyanopropionate as a thermal iniferter 127
Tazaki T, see Otsu T, et al. 323
Teeäär R, Serimaa R, Paakkari T: Crystallinity of cellulose, as determined by CP/MAS NMR and XRD methods 231
Tiemersma-Thoone GPJM, see Dušek K, et al. 239
Tsubokawa N, Kobayashi K, Sone Y: Grafting onto carbon black by the reaction of reactive carbon black having acyl chloride group with several polymers 87
Tsuchida E, see Yamamoto K, et al. 163
Tüdős F, see Csákvári É, et al. 557

Val JJ del, Colmenero J: Compensation laws and ß-relaxation in poly(vinyl chloride) 489
Varvoglis A, see Georgiev G, et al. 169
Vergelati C, see Perez S 141

Wang B, Mishra MK, Kennedy JP: Living carbocationic polymerization. XII. Telechelic polyisobutylenes by a sterically hindered bifunctional initiator 205
Wang B, Mishra MK, Kennedy JP: Living carbocationic polymerization. XIII. Telechelic polyisobutylenes by the linear bifunctional aliphatic initiator system: $CH_3OC(CH_3)_2CH_2C(CH_3)_2CH_2C(CH_3)_2OCH_3/BCl_3$ 213
Wang B, see Mishra MK, et al. 307
Wang S-B, Mark JE: In-situ precipitation of reinforcing titania fillers 271
Watkins VH, see Hobbs SY, et al. 341
Wilczek L, Kennedy JP: Electrophilic substitution of organosilicon compounds. I. Model studies of allylation of tert-chlorine ended polyisobutylenes with allyltrimethylsilane 37
Williams RJJ, Riccardi CC, Dušek K: Build-up of polymer networks by initiated polyreactions. 3. Analysis of the fragment approach to the living polymerization type of build-up 515
Willson CG, see Jiang Y, et al. 1
Wintzer J, see Tänzer W, et al. 31
Wong KH, Cho KC, Ng HC, Chan CK, Choy CL: Laser fluorimetry studies of ionpair aggregation in ionomers derived from copolymers and polymer containing 2-vinylfluorene 375
Wunderlich B, see Bu HS, et al. 567

Yahata K, see Oikawa E 315
Yamamoto K, Nishide H, Tsuchida E: Electrochemical preparation of poly(2,5-dimethoxy-1,4-phenylene) 163
Yamashita Y, see Kawakami Y, et al. 293

Zhang HZ, see Song MS 63

Polymer Bulletin

© Springer-Verlag 1987

Subject Index Volume 17 (1987)

Acetylene, polymerization 331
Acrylamide membranes 149
Acyl chloride 87
Aggregate, stable 375 A
Aliphatic initiator, bifunctional 213
Alkali metal ions, transport 389
Alkoxysilane 271
Allyltrimethylsilane 37
Amino acid p-nitrophenyl esters 383
Amylose, polymorphic transformations 141
Amylose conformers 141
Amylosic fragments 141
Anionic polymerization 423
Aza-1,3-butadienes, polymerization 417

Bipolymer 141
Birefringence, strain 197
Bit-oriented recording 285
Blends 335, 341
-, n-alkane/PDMPO 523
-, miscible 221
Block copolymers 323, 423
t-BOC polymer 1
BPA 335, 341
Branching processes 239
-, theroy 481
Bu/AA, behavior 263
Bulk polymers 247
tBu-m-DiCuOMe 205
1,3-Butadiene-acrylic acid copolymers, thermal behavior 263
Butadiene-styrene copolymer 369
t-Butoxycarbonyl 1
N-Butyryldehydroalanine methyl ester 189

Carbon black fillers 55, 63
Carbon-13 NMR 423
Carbocationic polymerization, living 205, 213, 307
Cascade substitution 239
Catalysts 331
Cation exchanger 361
Cation exchange resins 361
Cationic polymerization 157, 169, 389
--, isobutylene 157
--, vinyl ether 107
Cellulose 225
-, accessibility 225
-, crystallinity 231
Chain defects 23
Chain deformation 255
Compatibility 523
Compensation laws 489
Componant transistion 523
Composites, particulate 55
Conductivities 545
Configurational constraints 255
Constitutional isomerism 353
Constraint release 255
Constraints, topological 247, 255
Copolymer, butadiene-styrene 369
Copolymer composition 551
Copolymers 15, 263, 353
-, multiblock 45
-, solution properties 15
Copolysiloxanes 49
Copper(II) 119
Copper/di-n-butyl amine 397
CP/MAS NMR 231
Crosslinks, thermoreversible 431

Crystal growth rate 445
Crystallinity 79
Crystallinity of cellulose 231
Crystallization, side-chain 353
Crystallization rates 473
CTBN 97

Debye interference 279
Decomposition, thermal 263
Deformation, molecular 255
Deformation behavior 341
Deformation law 255
Degradation behavior 263
Dehydroalanine, hindered trisubstituted 189
Diacetoxyiodobenzene 169
Diamides, macrocyclic 103
Diluents, optically anisotropic 197
p-Dimethoxybenzene 163
2,6-Dimethoxy-2,4,4,6-tetramethylheptane 213
2-(Dimethylaminoethyl)methacrylate 169
Dimethylsiloxane diluents 197
Diphenyl chlorophosphate, capping 397
Direct growth rate 473
1,2-Disubstituted tetraphenylethanes 323
Di-tert.-ether/BCLS initiator 7
DMS 197
DSC 263, 341, 539
DSC-isothermal rate 473
DSO 335

Elastomer interface 97
Elastomers 63
-, thermoplastic 431
Electron beam preirradiation 149
Electropolymerization 163
Enantioselective catalysis 383
"Ene"-reaction 431
EPDM, maleinated 71
Epoxides, homopolymerization 31
Epoxy resin systems, polyfunctional 31
Epoxy thermoset, beads-filled 97
EPR, maleinated 71
Equilibrium measurements 557
Ethylene-propylene copolymers 71
5-Ethylidine-2-norbornene 299
Ethylmagnesium bromide 331
Extrusion processing 175

Fibers, irradiated 507
-, ultra-drawn 79
Fillers, titania 271
Filler-matrix adhesion 97
Films 335
-, homogeneous 335
Flash vacuum pyrolysis 417
Fluorenylsodium 375
Fluorine-containing polymer 293
Fracture toughness 97
Fragment approach, analysis 515

Gel permeation chromatography 531
Glycidyl ethers 31
GPC 299, 531
Grafting 87
Graft terpolymers, EPDM 299
Grafting onto carbon black 87

Halides 37
-, tert-alkyl 37
Halogen displacement 361
Heavy metal ions 315
Heterocycloalkane mesogens 49
Hexaphenylethane 323
High energy electrons, irradiated 507
High-impact nylons 71
Highly oriented fibers 79
High performance structures 175
Host-guest systems 347
HPLC 31
Hydrolytic systems 383
Hydroxyl-containing polymers 221
Hypervalent iodine compounds 169

Imidazole-containing copolymeric surfactants 383
Iniferters, thermal 127, 323
Initiators, radical 323
Inorganic salts, complex 545
Intermolecular association 545
Intramolecular interference 279
Intrinsic viscosity, temperature dependence 551
Intrinsic viscosity ratio 225
Ion exchange 361
Ionomers 375
-, carboxylic 459
-, sulfonated 459
Ionophores, lithium 103
Ionpair aggregation 375
IR-spectroscopy 545
Isobutylene 7
-, boron trichloride and methylene chloride 157
-, cationic polymerization
Isonomerism, consitutional 353
Isopropylidene 307

Kinetic therory 515

Laser fluorimetry 375
Lattice distortions 23
LC copolymers, side-chain 353
LCP 347, 353
Lewis acid 31
Light scattering 181
Liquid crystalline copolymers 353
Liquid crystalline polymers 347
Liquid membrane, dichloromethane 389
Lithium 103
Living carbocationic polymerization 7, 307
Living cationic polymerization 389
Living polystyrenes 403
Living radical polymerization 323

Macrocyclic diamides 103
Magnetic field effect 365
Maltodextrins 141
Mark-Houwink-Sakurada(MHS) equations 15, 557
Melt compounding 335
Melt miscibility 335
Melts 247, 335, 341
Membrane materials 293
Membranes 315
-, swollen grafted 149
Mesogenic units 353
Mesogens, heterocycloalkane 49
Mesophase, nematic 353
-, smectic 347
Metal ions 389
4-oxy-4'-Methoxybiphenyl mesogens 347
Methyl acrylate, copolymerization 189
N-Methyl-N-butyryldehydroalanine methyl ester 189
Methyl methacrylate 127
--, radical polymerization 323
Miscibility 335, 341
-, poly(p-vinyl phenol) with polymethacrylates 453
Miscible blends 221, 225
MMA 323
-, living radical polymerization 127
Molecular weight 557
Morphology 341
Multistage network formation 239

23Na-NMR, solid state ionomers 459
Network defects 255
Network formation, multistage process 239
Networks, crosslinked polymer 247
-, elastomeric 255
-, rubberelastic 247
Nitration 225
NMR 545
NMR spectra 499
Nylon-66 71
Nylon-6 423
-, grafting of acrylamide 149

Oligomerization 31
Oligo(oxyethylene) 347
Optical properties 197
Optical rotatory power 285
Optical tracer diffucion 279
Organolithium compounds 331
Organomagenesium compounds 331
Organosilicic polymers, telechelic 45
Organosilicon compounds, electrophilic substitution 37
Osmometry 299
Oxazoline 189
Oxygen permselectivity 293

PAAm 315
PBT/BPA 335, 341
PBT/PC blends 335
PBT/PC melt 341
PC 335, 341
PDMS 271, 293
PDMSM 197
Peak broadening effect, of a polymer 531
Pentafluorostyrene 293
Pentaphenylethane 323
Permselectivity 293
Phase-transfer catalysts 389
Phase transition 465
1-Phenyl-2-aza-1,3-butadiene polymer 417
Phenylacetylphenyl groups 369
Phenyl glycidyl ether, oligomerization 31
(Phenyl methacrylate-co-menthyl menthyl methacrylate) copolymers 15
Photochromism 285
Photocrosslinking 369
Photoiniferters 127
Photoinitiators 169
Photoirradiation, reversible change 285
Photo-merocyanine 285
Photopolymerization 169
Photoresponsiveness 285
Photosensitive groups 369
Photosensitizers 369
PIB 213, 307
-,tCl-telechelic 205
Piezoelectric polymers 135
31P NMR 397
Polyacetylene 331
Polyacrylamide, grafted 149
Polyallylamine, Schiff's bases 315
Polyarylamines, highly branched 409
Poly(1-bicyclobutanecarbonitrile), piezoelectric activity 135
Poly(butadienes) 431
Poly(butylene terephthalate)/BPA polycarbonate melt blends 335, 341
Poly(butyl methacrylate) 439
Poly(n-butyl methacrylate) 453
Poly(N,N-diethylacrylamide) 465
Poly(2,5-dimethoxy-1,4-phenylene) 163
Poly(2,6-dimethyl-1,4-phenylene oxide) 397
Poly(dimethylsilmethylene) 197
Poly(dimethylsiloxane) 45, 271
Polydispersity 279
Polyelectrolytes 119
Polyesterethers, dihydroxy 499
Polyether/salt complexes 113
Polyether/salt mixtures 113
Polyethylene 79
-, branched 23
-, ultra-high molecular weight 175
Poly(ethylene-co-methacrylic acid) 459
Polyethylene fibers, ultra-high strength 507
Poly(ethylene oxide)(PEO) 545, 567
Polyethylenimine 315

Poly(ethyl methacrylate) 453
Poly(L-glutamte) 285
Poly(hydroxy ether of bisphenol A)(phenoxy) 221
Polyisobutylene 197
-, allylation 37
-, telechelic 7, 205, 213, 307
Poly(isopropyl methacrylate) 453
Polymer, fluorine 293
Polymer chains, interactions 545
Polymer conformation 15
Polymer networks 255
--, build up 515
--, topological constraints 247
Polymerization, electro-oxidative 163
-, free radical 135
-, living 205, 213
-, living carbocationic 205
-, living cationic 107
-, radical 15, 127
Polymers, amino groups-containing 315
-, liquid crystalline 49
-, rigid 79
Polymethacrylates 15
-, miscibility 221
Poly(methacrylic acid) 551
Poly(methyl methacrylate) 453, 551
Poly-alpha-methylstyrene 299
Poly(MMA) 127
Poly(oxyethylene) 389
Polyphenylene 163
Polyphenylene ether (PPE) 423
Polypropylene, isotactic 539
i-Polypropylene, isothermal crystallization 445
Poly(n-propyl methacrylate) 453
Polysaccharide gels, volume change 563
Polysiloxanes 49
Polystyrene 299
-, surface modified 293
Poly(styrene-co-allyl alcohol) 221
Poly(styrene-co-styrene sulfonate) 459
Polystyrene-polyacrylonitrile-dimethylformamide system 181
Poly(tetrahydrofurfuryl methacrylate) 221, 453
Polyurethane systems 481
Polytransesterification reaction 499
Poly(vinyl alcohol) 1
Polyvinylamine 315
Poly(p-vinylbenzyl ether)s, liquid crystalline 347
Poly(vinyl-t-butyl carbonate) 1
Poly(vinyl chloride) 361, 489
-, chemically modified 361
Poly(vinyl chloride)membranes 103
Poly(vinyl ethers), comb-like 389
Poly(vinyl methyl ether)-salt mixtures 113
Poly(p-vinyl phenol)/poly(methyl methacrylate) blends 453
Poly(1-vinyl-2-pyrrolidone-co-maleic acid) 557
PPO 423
PPO resin 397
Precipitation, in situ 271
2-Propyl-4-methoxy-carbonyl-2-oxazoline 189
PSAA 221
PTHFMA 221
PVAm 315

Quenching 23
Quinone methide 397

Radical polymerization 127
Radius of gyration 255
Recrystallization 539
Resin, cation exchange 361
Resolved fluorescence 375
Reverse osmosis 315
Reversible change 285
Reversible optical recording 285
Rigidity 15
Rubber, reinforcement 63
Rubber-coated glass beads 97
Rubber vulcanizates 55, 63

SANS 255
SBR 369
Schiff's bases of polyallylamine 315
Schulz molecular weight distribution 279
Second virial coefficient, temperature dependence 551
Semiconducting complexes 409
Silicate 271
Small-angle neutron scattering 465
Sol/gel analysis 369
Solvolyses, enanthioselective 383
Solvolytic systems 383
Spacers 347
Spiropyran 285
Starburst arylamines 409
Stockmayer-Fixman extrapolation 15
Stress-optical properties 197
Styrene 323
Surfactants, imidazole-containing copolymeric 383
Swelling properties 499
Swelling volume 563
Synthesis 189
Synthetic membranes 149

Telechelic polyisobutylenes 7, 307
TEM 341
Tensile strength 507
Terpolymers 299
Tetraphenylethanes, 1,2-disubstituted 323
Thermal behavior studies 263
Thermal inifierters 323
Thermal stability, resin 397
Thermally stimulated depolarization current measurements 489
Thermolysis, acid-catalyzed 1
Thermosets, reinforced 97
-, rubber-modified 97
Titania fillers, reinforcing 271
Titanium tetrabutoxide/organomagnesium 331
TMHDiOMe 213
Topological constraints 247
TPSN 323
Tracer diffusion 279
Transition metal ions 315
Transition temperature 473
Transport, metal-ion 389
Triphenylmethyl radicals 323

Ultracentrifugal studies 557
Ultra-high modulus fibers 79

α -ω-(p-Vinylbenzyl)α -methylstyrene tetramer 403
α -ω-bis(p-Vinylbenzyl)-polystyrene 403
Vinyl(t-butyl carbonate) 1
Vinyl ether 107
2-Vinylfluorene 375
Vinylfluorenylsodium, homopolymer 375
Vinylsilanes 37
Viscometric behavior 15
Viscosity, intrinsic 225, 439
-, temperature dependence 439
Vulcanizates 55, 63

Water-soluble polymers, etching method 567
Wave vector dependence 279

X-ray diffraction 23, 539
X-ray diffractometry 545
XRD 231

Young's modulus 79

Ziegler-Natta catalysts 331

Indexed in *Current Contents*